

IX.3.3C-SYSTEM-FIGNOR COMMON BLOCK FIGNOR

Purpose

Common block FIGNOR contains options and dates to indicate which types of observed data are to be ignored by Operations ADJUST-Q [[Hyperlink](#)] and RES-SNGL [[Hyperlink](#)].

This common block is filled by the IGNORETS MOD [[Hyperlink](#)]. Options can be selected to ignore any combination of instantaneous, mean or pool elevation data for specified periods.

Listing

```
COMMON /FIGNOR/ NIGNOR,IGNOPT(10),IGSDAT(10),IGEDAT(10)
```

Description of Variables

<u>Variable</u>	<u>Type</u>	<u>Dimension</u>	<u>Word Position</u>	<u>Description</u>
NIGNOR	I*4	1	1	Number of periods for which observed data are to be ignored
IGNOPT	I*4	10	2	Indicator for which combination of instantaneous, mean or pool elevation data are to be ignored: 1 = instantaneous 2 = mean 3 = instantaneous and mean 4 = pool elevation 5 = instantaneous and pool elevation 6 = mean and pool elevation 7 = instantaneous, mean and pool elevation
IGSDAT	I*4	10	12	Starting date (Julian hours) to ignore the observed data types specified by IGNOPT